



— —

.

4

( )

1 450\*450\*420mm

2 PH 4.0-9.0  
4

4 CMA

3

N

4

1 500\*350\*660mm

2 18mm 4.0-16.0%

0.70MPa 90% 0.60MPa 1.5N

90% 80mg/100r 4

4

4

4

4 0.05mg/m CMA

3

0.05mg/m

CMA

4

5

1 1950\*650\*420mm

2 PH 4.0-9.0

4 4  
CMA

3

N

4

5

6 1 + ' ' 18mm

0.05mg/m 45°

0.05mg/m

7 1 2\* +USB +Type-C

8 CMA

GB/T 35607-2017

0.05mg/m TVOC 0.3mg/m -

- - -

- - -

1 800\*720mm  
 2 18mm  
 N N  
 N  
 3  
 4 2mm  
 5 48\*2.0mm  
 6

1 PH 4.0-9.0  
 4 CMA  
 2

N  
 3  
 GB/T 1927.4-2021 4 :  
 GB/T 1927.5-2021 5 :  
 GB/T 1927.6-2021 6 :  
 GB/T1927.9-2021 9 :

GB/T 35601-2017  
 GB/T 35607-2017  
 2.5-5.0% 8-14% 0.60 0.72g/cm  
 0.05mg/m 3.0-7.0% 100-130MPa  
 PCP N

1 1100\*1000\*2250mm  
 2  
 3 9mm PET B /  
 4 5+5mm 3C  
 5 10mm 3C  
 6  
 7

8		3*	+USB	+Type-C
9		30kg		18mm
	<b>N</b>			<b>N</b>
	0.05mg/m			2mm
10		4		
11				45KG/m

1  
2

- 1 GB/T 39600-2021
- 2 GB/T 4897-2015
- 3 GB/T 34722-2017
- 4 QB/T 1952.1-2012
- 5 GB/T 35607-2017
- 6 QB/T 4045-2010
- 7 GB/T 1927-2021
- 8 GB/T 35601-2017



